

Ferotec Friction, Inc

150 Shellyland Road Rapho Business Park

PO Box 387 Mount Joy, PA 17552

(717) 492-9600 Fax: (717)492-9601

Material Safety	D3910	Data Sheet
Telephone: (717) 492-9600	Revision Date: 09/01/06	Fax: (717) 492-9601
I. Product Information:		
Product Name: D3910		
Trade Name: Molded Composite		
II. NFPA (0 = No Hazard; 4 = Severe Hazard):		
Health = 1	Reactivity = 0	Fire = 1
III. Ingredient Information:		
Hazardous Components	C.A.S. Number	Percent
		OSHA PEL (mg/m³)
		ACGIH TLV (mg/m³)
Calcium Carbonate	1317-65-3	13-19
Barium Sulfate	7727-43-7	16-21
Carbon Black	1333-86-4	1-4
Magnesium Oxide	1309-48-4	18-23
Fiberglass	65997-17-3	3-7
Vermiculite	1318-00-9	17-22
IV. Physical Data:		
Boiling Point (°F): NA	Evaporation Rate (Butyl Acetate = 1) NA	
Vapor Pressure (mm Hg): NA	Specific Gravity (Water = 1):	2.00
Water Solubility (%): NA	Melting Point (°F):	NA
Vapor Density (Air = 1): NA	% Volatile by Volume:	NA
Appearance And Odor:	Dark gray/black	
V. Fire and Explosion Data:		
Flash Point (°F): NA	Flammable Limits: LEL = NA UEL = NA	
Extinguishing Media: Water, foam, dry Chemical	Unusual Fire and Explosion Hazards: None	
Special Fire Fighting Procedures: In a sustained fire, self-contained breathing apparatus (SCBA) should be worn.		
VI. Health Data: A. Summary/Risks:		
Continuous Filament Fiberglass: Inadequate evidence of carcinogenicity in both human and animal scientific studies to link this fiber to human cancer. Therefore, classified as Group 3.		
Clinical conditions which may be aggravated: Any condition generally aggravated by mechanical irritants in air or on skin.		
Target Organs: Lungs, skin.		

Material Safety	D3910	Data Sheet
Acute Health Effects: Temporary irritation of the mouth, nose, and throat.		
Primary Routes of Entry: Inhalation		
VI. Health Data: B. Signs/Symptoms of Overexposure:		
Inhalation: May cause temporary upper respiratory irritation.		
Skin Contact: Acute - Transient mechanical irritation. Chronic - None.		
Ingestion: Acute - Unlikely to occur. Observe individual, if symptoms develop, consult physician. Chronic - None known.		
Eyes: Acute - Direct contact will cause mechanical irritation. Chronic - None known.		
VI. Health Data: C. First Aid/Emergency Procedures:		
Inhalation: Remove from exposure. Get medical help if irritation persists.		
Skin Contact: Wash with mild soap and running water.		
Ingestion: Unlikely. Consult physician if unusual reaction is noted.		
Eyes: Flush with flowing water for at least 15 minutes. If symptoms persist, seek immediate medical attention.		
VII. Reactivity Data:		
Conditions to Avoid: Avoid creating dust. Vacuum when possible.		
Hazardous Decomposition Products: Incomplete combustion may release toxic materials.		
VIII. Spill or Leak Procedures:		
Procedures for Spill/Leak: Use vacuum if dust is involved.		
Waste Management: In accordance with state and local regulations.		
IX. Special Protection Information:		
Goggles: May be appropriate in certain operations.		
Gloves: May reduce skin irritation in some operations.		
Respirator: NIOSH approved nuisance dust respirator if TLV is exceeded.		
Ventilation: Use local exhaust ventilation.		
Other: Wear long sleeved shirts, loose fitting clothing and use good personal hygiene.		
Special Consideration for Repair & Maintenance of Contaminated Equipment: None		
X. Special Considerations:		
Special Handling/Storage: Store in a dry place. Label information: "Any fiber or dust may be a hazard to your health. Use respirators and/or dust control measures as well as eye protection when handling or processing this product. Do not ingest."		
Other: Wash with mild soap and warm water after handling. Wash work clothes separately.		
<i>The information and recommendations set forth herein are taken from sources believed to be accurate as of the date thereof; however, Ferotec Friction makes no warranty with respect to the accuracy of the information or the suitability of the recommendations and assumes no liability to any user thereof.</i>		